



WHEELERS MOTOR OIL- GF-5

SAE 5W-30

HC Synthesis Fuel Efficient Engine Oil.

Product Description

WHEELERS GF-5 SAE 5W-30 has been specially devolved for the most modern generation of downsizing engines. The special combination of base oils and additives helps to significantly reduce the so-called LSPI (low speed pre-ignition). With the LSPI, the gasoline-air mixture ignites spontaneously in the combustion chamber before the ignition spark occurs. This can lead to engine knocking and serious engine damage. Pollution inside the engine plays a role as well as poor fuel quality. Due to the LSPI problem, this combination of base oil and additives has been developed and is prescribed by Opel and General Motors for certain models.

WHEELERS GF-5 SAE 5W-30 is the suitable engine oil and meets the new and tightened General Motors Specification Dexos 1 Generation 2.

The product has been developed exclusively for gasoline engines and is not suitable for diesel engines.

Specifications / Recommendations

API SN Plus	Daihatsu Mazda
API SN-RC	Honda Nissan
ILSAC GF-5	Kia Subaru
GM dexos1 Gen 2	Isuzu Suzuki
Ford WSS-M2C947-A	Lexus Toyota

Nominal Values

WHEELERS GF-5 SAE 5W-30	Unit	Value	Method
Density at 15°C	kg/m ³	848	DIN 51 757
Viscosity at 40°C	mm ² /s	60,9	DIN 51 562
Viscosity at 100°C	mm ² /s	10,9	DIN 51 562
Viscosity index		171	DIN ISO 2909
CCS at -30°C	mPa.s	5220	ASTM D5293
Pourpoint	°C	-45	DIN ISO 3016
Flashpoint	°C	224	DIN ISO 2592
TBN	mg KOH/g	8,2	DIN ISO 3771

Specification variations in these characteristics may occur the instructions of manufacturer must be regarded. Further informations to be available by MSDS.

Wheelers GmbH
Jubiläumsstraße 2
01139 Dresden / Germany
Tel. 49 - (0) 351 16056831