



WHEELERS ATF DX -VI

AUTOMATIC TRANSMISSION FLUID- ATF

Description

WHEELERS ATF DEXRON VI -fluid is an Automatic Transmission Fluid which is which is made by multi vehicle anti-shudder additive technology optimized for passenger car applications.

Application

WHEELERS ATF DEXRON VI -fluid is used in an extensive range of European and Asian passenger car service fill applications; it also can be used in commercial vehicle applications and power steering.

Properties

WHEELERS ATF DEXRON VI -fluid affords following benefits:

- Exceptional oxidation behaviour
- Low viscosity for high fuel economy
- smoother shifts over a long period of time
- excellent anti-rust properties
- low foaming tendency

Specifications / Recommendations

DEXRON VI

Aisin Warner AW-1

Aisin Warner AW F8FXX

Aisin Warner JWS 3324

Bentley P/N PY112995PA

BMW/Mini P/N 83 22 0 142 516

BMW/Mini P/N 83 22 0 397 114

BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B)

Chrysler/Dodge/Jeep P/N 05127382AA

Chrysler/Dodge/Jeep P/N 68043742AA

Daimler / Mercedes MB 236.12, 236.14, 236.41

FIAT 9.55550-AV1

FORD/Lincoln/Mercury P/N XT-10-QLV [LV]

FORD/Lincoln/Mercury P/N XT-6-QSP or -DSP [SP]

GM/GMC/Opel/Saturn AW1

GM/GMC/Opel/Saturn P/N 88863400, 88863401

Honda/Acura DW-1

Honda 082000-9017 (ATF Type 3.1)

Hyundai/Kia NWS-9638 T-5

Hyundai/Kia P/N 040000C90SG

Hyundai/Kia SP-IV / SPH-IV

Jaguar Fluid 8432

JASO M315, Class 1A

Land Rover P/N TYK500050, LR0022460

Maserati P/N 231603

Mazda FW 6A EL, FW 6AX EL

Mazda FZ

Mercon LV

Mitsubishi ATF-J3

Mitsubishi SP-IV

Nissan/Infinity Matic-S

Porsche P/N 000 043 304 00

Saab P/N 93 165 147 - AW-1

Shell 3353, Shell 134, Shell 1375.4

Toyota/Lexus/Scion WS

VW/Audi G 052 533, G 055 005 (-A, A2)

VW/Audi G 055 540 (A2)

ZF Lifeguard 9

Nominal Values

WHEELERS ATF DEXRON -VI	Unit	Value	Method
Density at 15	kg/m ³	849	DIN 51 757
Viscosity at 40°C	mm ² /s	28.1	DIN 51 562
Viscosity at 100°C	mm ² /s	5,7	DIN 51 562
Viscosity Index		150	DIN ISO 2909
Pourpoint	°C	-45	DIN ISO 3016
Flash Point	°C	212	DIN ISO 2592

Specification variations in these characteristics may occur the instructions of manufacturer must be regarded. Further informations to be available by MSDS.

Wheelers GmbH
Jubiläumsstraße 2
01139 Dresden / Germany
Tel. 49 - (0) 351 16056831