

WHEELERS MOTOR OIL MARINE- 2T

Semi-Synthetic 2-Stroke Oil for Outboard Engines.

Product Description

Wheeler's Marine-2T is a semi-synthetic, self-mixing 2-stroke motor oil, which is foreseen for the use in water-cooled outboard motors.

Wheeler's Marine-2T motor oil guarantees by its combination of high quality base oil and selected additives (detergent, dispersant and corrosion inhibitor) optimal protection against wear, formation of scratches at the cylinder and deposits.

Furthermore, it has following benefits:

- ashless additives, which prevent ignition by incandescence.
- combustion free from residue and deposits.
- keeps engine and motor drives clean.
- protects against corrosion, even at saline air.
- suitable for auto-lube and mixed lubrication systems.

Wheeler's Marine-2T motor oil can be used by application of the mixing ratio, recommended by the manufacturer (down to 1:50), in all outboard motors, if an oil according "TC-W3" is required.

Specification.

- N.M.M.A. TC-W3

Typical Values

Wheeler's Marine-2T	Unit	Value	Method
Density at 15	kg/m ³	875	DIN 51 757
Color		green	visual
Viscosity at 40°C	mm ² /s	48,50	DIN 51 562
Viscosity at 100°C	mm ² /s	7,313	DIN 51 562
Pourpoint	°C	-42	DIN ISO 3016
Flash Point	°C	80	DIN ISO 2592
TBN	mg KOH/g	9	DIN ISO 3771
Sulphated Ash	% mass.	< 0,01	DIN 51 575

Specification variations in these characteristics may occur the instructions of manufacturer must be regarded. Further informations to be available by MSDS.

Wheeler's GmbH
Jubiläumsstraße 2
01139 Dresden / Germany
Tel. 49 - (0) 351 16056831